Beech 12 inches in diameter S 88° W 86 lks dist
Beech 10 " " " N 18° W 53 " "

Corners made and lines run in Section No 10 T 7 R 1 E

Length of line from the N W corner of Section 10 to the northern ¼ mile post of the Same 169 Poles & 5 lks

New witness tree and corner made agreed distant between the Southern ¼ mile post and the S W corner of the Same
Poplar 30 inches in diameter N 6° W 21 links distant

+ corner at the N E corner of Section No 9 T 7 R 1 E
Beech 10 inches in diameter S 69° W 46 lks distant
Woak 15 " " " S 77° E 19 " "

Section 10 T 7 R 1 E Length of the line north of the center 164 Poles & 7 links
Length of line west of center 161 Poles and 50 lks

corner 80 Poles 22½ links west of the center
Beech 10 inches in diameter and corner tree
Robert Entright and Milton Stroms chain bearers sworn this may 12th 1836

James W Spencer
M C Surveyor

---

Nov 20th A D 1836

Ran the following lines and made the following corners in Section 11 Township No 10 north of range No 1 East
+ for Eben Newton of Ohio

Beginning at the eastern ¼ mile post of said Section witness trees Sugar 6 inches in diameter N 32° E 6 lks dist
Sugar 5 " " " " S 31 W 19 " "
Then S 85° W 160 Poles to a Stone witness trees Beech 18 inches in diameter S 87° E 26½ lks dist
Maple 20 " " " S 15° E 60 " "
Then S 5° E 170 Poles to a Stone. witness Poplar 20 inches in diameter S 26° E 20 lks dist
Beech 10 " " " N 43° W 20 " "
This last named corner is the Southern

half mile post of Section No 11 and northern
half mile post of Section No 14 Then N 85° E 15.8
Poles to the South east corner of said Section 11
Witness Poplar 18 inches in diameter S 88° E 36 links distant
Lynn 12 " " " " N 26° E 28 " "
Then north north with the Section line 170 Poles
To the beginning containing 168 acres 3 quarters &
30 Poles

Length of the line from South west corner
of Section No 14 T 10 R 1 E to the South east
corner of the Same 333 Poles & 18 links
half distance 167 Poles 19 links

New witness trees made
at the South east corner of said Section No 14
Sugar 15 inches in diameter S 14½° E 28 links distant
Sugar 20 " " " N 38½° W 45 " "

Length of the line west of the center of Section No 14
T 10 R 1 E 172 Poles 4 lks, half 86 Poles 2 lks
Witness trees made 86 Poles 2 links east of the Western ¼ mile
post of Said Section No 14
Beech 24 inches in diameter S 74° E 12¼ lks distant

Length of the line east of the center of Section
No 14 159 Poles 21 links

Corner made 88 Poles 22 links east of the South
west corner of Section 14
Beech 12 inches in diameter S 86° W 20½ lks distant
" 20 " " " N 85° E 38 " "

Witness trees and corner made at the South east
corner of the north west quart of Section No 14
Sugar 12 inches in diameter S 30° W 15 lks distant

Length of the north and South line through the
center of Section No 14 322 Poles 8½ links

New witness made at the Southern half mile post
of Section No 14
Beech 20 inches in diameter N 34° E 19½ lks distant
" 24 " " " S 18° W 38 " "

Corner made at the center of Section No 14 T 10 R 1 E
Beech 20 inches in diameter S 48° E 26 links distant
" 30 " " " S 27° E 31 " "
Distance from N E corner of N W quarter of Section No 14

To the S. E. corner of S W qr of same 168½ Poles

New witness trees made at the eastern ½ day mile post of Section No 11 T 10 R 1 E
Lynn 12 inches in diameter N 6° W 17 lks distant
Poplar 36 " " " N 83° E 28 " "

May 28 A D 1856

Ran the following lot of land for Eben Newton in Section No 11 Township No 10 north of Range No 1 East Beginning at the eastern ½ mile post of Said Section No 11 Thence west 80 Poles to a Stone witness tree
Black Ash 10 inches in diameter S 85° W 12 lks dist
Elm 24 " " " N 82° W 14 " "
Then north 80 Poles 7 lks to a Stone witness tree
Black gum 18 inches in diameter S 77° E — lks dist
Gum 3 " " " S 87° W 48 " "

Then east 80 Poles to a Stone witness tree
Hickory 6 inches in diameter S 39½° W 21 lks dist
" 7 " " " S 81½° E 12 " "
Then South 80 Poles 7 lks to the beginning

Chain bearers James Robins & Elias Hardin
Sworn May 20th 1856

James M Spencer
M C Surveyor

John T Hardin Elias Hardin and Mr Lynch interested in the above Survey

---

May 20th 1856

Ran the following lot of land in Section No 28 T 10 R 1 E for John T Henderson beginning at the eastern ½ mile Stake of Said Section witness trees
Beech 16 inches in diameter S 81° E 28½ links dist
" 12 " " " S 27½° E 28½ " "
Then west 167 Poles 19 links to a Stone wit trees
Black Ash 8 inches in diameter S 61° E 7½ lks dist
chestnut oak 10 " " " N 39 W 18 " "
Thence north 174 Poles and 4 links to the northern ½ mile post of Said Section No 28 witness trees
Beech 20 inches in diameter N 64° E 19½ lks dist
" 24 " " " S 18° W 38 " "
Thence east 167 Poles 19 links to the N E corner of Said Section No 28 witness tree